

L Number	Hits	Search Text	DB	Time stamp
25	271	((synchroniz\$9 or resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7 or replicat\$7 or recover\$3 or restor\$3) with database).ab. and (@ad<20000211) and (707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2004/08/17 19:46
26	113	((synchroniz\$9 or resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7 or replicat\$7 or recover\$3 or restor\$3) with database).ab. and (@ad<20000211) and (707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls.) and ((source or target or master or slav\$3 or backup) near3 (database or machine))	USPAT; US-PGPUB; IBM_TDB	2004/08/17 19:48
27	60	((synchroniz\$9 or resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7 or replicat\$7 or recover\$3 or restor\$3) with database).ab. and (@ad<20000211) and (707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls.) and ((source or target or master or slav\$3 or backup) near3 (database or machine)) and log	USPAT; US-PGPUB; IBM_TDB	2004/08/17 22:03
28	28	((synchroniz\$9 or resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7 or replicat\$7 or recover\$3 or restor\$3) with database).ab. and (@ad<20000211) and (707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls.) and ((source or target or master or slav\$3 or backup) near3 (database or machine)) and queue	USPAT; US-PGPUB; IBM_TDB	2004/08/17 22:06
38	18	((synchroniz\$9 or resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7 or replicat\$7 or recover\$3 or restor\$3) with database).ab. and (@ad<20000211) and (707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls.) and ((source or target or master or slav\$3 or backup) near3 (database or machine)) and (rollback\$3 or rollforward or (roll\$3 adj back) or (roll\$3 adj forward))	USPAT; US-PGPUB; IBM_TDB	2004/08/17 22:09
39	83	((synchroniz\$9 or resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7 or replicat\$7 or recover\$3 or restor\$3) with database) and (@ad<20000211) and (707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls.) and ((source or target or master or slav\$3 or backup) near3 (database or machine)) and log and queue and (rollback\$3 or rollforward or (roll\$3 adj back) or (roll\$3 adj forward))	USPAT; US-PGPUB; IBM_TDB	2004/08/17 22:09
-	1	((resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7) and ((replicat\$7 or backup or mirror\$ or copy\$3) with database)).ab. and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2004/08/17 18:17
-	414	(resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7).ab. and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:09
-	6	(resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7).ab. and ((delet\$3 or purg\$3 or remov\$3) with transaction) and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:11
-	153	(resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7) and ((replicat\$7 or backup or mirror\$ or copy\$3 or (source same target)) with database) and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:12
-	46	(resynchroniz\$7 or (re adj synchroniz\$7) or reconsil\$7) and ((replicat\$7 or backup or mirror\$ or copy\$3 or (source same target)) with database) and ((delet\$3 or purg\$3 or remov\$3) with transaction) and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:13

**BEST AVAILABLE COPY**

-	33	(roll\$3 adj back) and (roll\$3 adj forward) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:14
-	85	((delet\$3 or purg\$3 or remov\$3 or clear\$3) with transaction with log) and (@ad<20000211) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:15
-	2	(automatic\$5 with (delet\$3 or purg\$3 or remov\$3 or clear\$3) with transaction with log) and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:17
-	26	((delet\$3 or purg\$3 or remov\$3 or clear\$3) with (transaction or log)) and ((indicat\$5 or flag\$5) with (point or time) with (recover\$5 or corrupt\$5)) and (@ad<20000211) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:19
-	15	((delet\$3 or purg\$3 or remov\$3 or clear\$3) with (transaction or log) with before with (recover\$5 or corrupt\$5 or failure)) and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2004/03/03 20:55
-	192	(flag\$5 with (indicat\$5 or determin\$3) with (starting or point or time) with (recover\$5 or corrupt\$5 or failure)) and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:28
-	63	((flag\$5 or indicat\$5 or point\$3 or show\$3) with (recover\$5 or corrupt\$5 or failure) with (log or transaction\$3)) and (@ad<20000211) and (database and (recover\$5 or reconcil\$3 or replicat\$3 or synchroniz\$7)).ab. and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/06/09 17:35
-	62	(window\$3 near\$3 updat\$3) and (microsoft\$3).as. and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2004/03/04 12:32
-	1	"20020049776"	USPAT; US-PGPUB; IBM_TDB	2004/03/04 12:33
-	34	6584474.pn. or 6519613.pn. or 6477535.pn. or 6470344.pn. or 6460048.pn. or 6411964.pn. or 6343296.pn. or 6122640.pn. or 6070170.pn. or 6029195.pn. or 6026412.pn. or 6016497.pn. or 6003022.pn. or 5995958.pn. or 5991761.pn. or 5983239.pn. or 5943677.pn. or 5940832.pn. or 5933820.pn. or 5893924.pn. or 5848416.pn. or 5822780.pn. or 5788392.pn. or 5778377.pn. or 5761677.pn. or 5721915.pn. or 5596747.pn. or 5551020.pn. or 5455945.pn. or 5422979.pn. or 5325505.pn. or 5297279.pn. or 5222235.pn. or 4130860.pn.	USPAT; US-PGPUB; IBM_TDB	2004/03/04 12:33
-	5	(6584474.pn. or 6519613.pn. or 6477535.pn. or 6470344.pn. or 6460048.pn. or 6411964.pn. or 6343296.pn. or 6122640.pn. or 6070170.pn. or 6029195.pn. or 6026412.pn. or 6016497.pn. or 6003022.pn. or 5995958.pn. or 5991761.pn. or 5983239.pn. or 5943677.pn. or 5940832.pn. or 5933820.pn. or 5893924.pn. or 5848416.pn. or 5822780.pn. or 5788392.pn. or 5778377.pn. or 5761677.pn. or 5721915.pn. or 5596747.pn. or 5551020.pn. or 5455945.pn. or 5422979.pn. or 5325505.pn. or 5297279.pn. or 5222235.pn. or 4130860.pn.) and ((synchroniz\$5 or reconcil\$5 or updat\$3) with (database\$2 or system\$2 or device\$2)) and ((delet\$3 or clear\$3 or clean\$3 or remov\$3 or discard\$3) with (transaction\$2 or queue\$2)) and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2004/03/04 12:42

BEST AVAILABLE COPY

-	447	((synchroniz\$5 or reconcil\$5 or updat\$3) with (database\$2 or system\$2 or device\$2)) and ((delet\$3 or clear\$3 or clean\$3 or remov\$3 or discard\$3 or unload\$3 or flush\$3) with (transaction\$2 or queue\$2) with (checkpoint\$3 or applied or executed or processed)) and (@ad<20000211)	USPAT; US-PGPUB; IBM_TDB	2004/03/04 21:50
---	-----	---	--------------------------------	------------------

**BEST AVAILABLE COPY**